

DRAPER REHABILITATION & CARE
12702 SOUTH FORT STREET
DRAPER UT 84020
STATE'S REGION CODE: 001

PROVIDER #: 465091 FACILITY BEDS
PHONE NUMBER: (801) 571-2704 TOTAL: 93
PARTICIPATION DATE: 09/01/1983 CERTIFIED: 93 TYPE OWNERSHIP: FOR PROFIT - CORPORATION

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS ON 02/27/2003

TOTAL: 75
MEDICARE: 6
MEDICAID: 56
OTHER: 13

LTC ADMISSION/SUSPENSION DATES

ADMISSION SUSPENDED:
SUSPENSION RESCINDED:

TOTAL CERTIFIED BEDS: 93

18 18/19 19 ICF/MR
-- -- --
93

CURRENT SURVEY REVISIT DATES - 08/04/2003 04/28/2003

PRIOR 3 SURVEY	S/S CODE	PRIOR 2 SURVEY	S/S CODE	PRIOR 1 SURVEY	S/S CODE	CURRENT SURVEY	S/S CODE	PLAN/DATE OF CORRECT	PROGRAM REQUIREMENTS
03/2000		04/2001		06/2002		02/27/2003			
						X C	B	04/27/2003	REQ F0151-RESIDENT EXERCISES RIGHTS & IS FREE OF COERCION
						X C	B	04/27/2003	REQ F0156-INFORM RES OF SERVICES/CHARGES/LEGAL RGTS/ETC
X	B								REQ F0242-SELF-DETERMINATION - RESIDENT MAKES CHOICES
				X	B	X C	E	07/31/2003	REQ F0253-HOUSEKEEPING & MAINTENANCE SERVICES
						X C	E	04/27/2003	REQ F0280-DEVELOPMENT/PREP/REVIEW OF COMP CARE PLAN
						X C	E	04/27/2003	REQ F0281-SERVICES PROVIDED MEET PROFESSIONAL STANDARDS
				X	B	X C	E	04/27/2003	REQ F0323-FACILITY IS FREE OF ACCIDENT HAZARDS
X	E					X C	F	04/27/2003	REQ F0371-STORE/PREPARE/DISTRIB FOOD UNDER SANITARY CONDS
						X C	E	04/27/2003	REQ F0387-FREQUENCY & TIMELINESS OF PHYSICIAN VISIT
						X C	E	04/27/2003	REQ F0432-DRUGS STORED IN LOCKED COMPARTMENTS/UND PROP TEMP
		X	D						REQ F0441-FACILITY ESTABLISHES INFECTION CONTROL PROG
						X C	E	04/27/2003	REQ F0460-ROOMS DESIGNED TO ASSURE FULL VISUAL PRIVACY
X	D			X	B				REQ F0468-CORRIDORS HAVE FIRMLY SECURED HANDRAILS
									REQ F0494-NURSE AIDE TRAINING/COMPETENCY
						X C	G	04/27/2003	REQ F0502-FACIL PROVIDES/OBTAINS LAB SERVICES

EDITION OF LSC APPLIED

85 EXIST 85 EXIST 85 EXIST 85 EXIST
PRIOR 3 PRIOR 2 PRIOR 1 CURRENT
SURVEY SURVEY SURVEY SURVEY
03/2000 03/2001 06/2002 03/03/2003

PLAN/DATE
OF CORRECTION

LSC DEFICIENCIES - BLDG NO. 01

K0025-SMOKE PARTITION CONSTRUCTION
K0034-STAIRS AND SMOKE PROOF TOWERS
K0038-EXIT ACCESS
K0054-SMOKE DETECTOR MAINTENANCE
K0056-AUTOMATIC SPRINKLER SYSTEM

X
X C 04/30/2003
X C 04/30/2003
X X X X N

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSSES X=DEFICIENT
COP = CONDITION REQ = REQUIREMENT

DRAPER REHABILITATION & CARE

PROVIDER #: 465091

EDITION OF LSC APPLIED

85 EXIST	85 EXIST	85 EXIST	85 EXIST	PLAN/DATE
PRIOR 3	PRIOR 2	PRIOR 1	CURRENT	OF CORRECTION
SURVEY	SURVEY	SURVEY	SURVEY	
03/2000	03/2001	06/2002	03/03/2003	
X				
		X		
			X C	04/30/2003
X	X			

LSC DEFICIENCIES - BLDG NO. 01

K0062-SPRINKLER SYSTEM MAINTENANCE
K0072-FURNISHING AND DECORATIONS
K0074-COMBUSTIBLE CURTAINS
K0130-OTHER

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSSES X=DEFICIENT
COP = CONDITION REQ = REQUIREMENT

DRAPER REHABILITATION & CARE

PROVIDER #: 465091

TYPE OF DEFICIENCY -----	CURRENT SURVEY -----	PRIOR 1 SURVEY -----	PRIOR 2 SURVEY -----	PRIOR 3 SURVEY -----
CONDITION	0	0	0	0
REQUIREMENT	11	3	1	3
HEALTH TOTAL	11	3	1	3
LIFE SAFETY CODE	4	3	2	4
LIFE SAFETY CODE + HEALTH	15	6	3	7

COMPLAINT SURVEY INFORMATION

SURVEY DATE -----	STATUS -----
03/28/2002	UNSUBSTANTIATED
05/29/2002	SUBSTANTIATED
12/18/2002	UNSUBSTANTIATED
12/24/2002	UNSUBSTANTIATED

FMS SURVEY INFORMATION

SURVEY DATE -----	TYPE OF SURVEY -----
02/27/2003	OBSERVATIONAL